



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

All ships at wharf and out in water report no mosquitoes. The prevailing wind blowing strongly from the water explains the absence of mosquitoes from the vessels.

*Sanitary conditions.*

The yellow-fever case reported by telegraph June 3 has been discharged, cured, so that as far as can be ascertained Progreso itself is free of all quarantinable disease. Merida, however, only 25 miles distant—one and a half hours' run by train—is still infected with yellow fever. It is very difficult to procure accurate information as to number of cases, but popular rumor makes it from 20 to 40.

OFFICIAL REPORT OF MORTALITY FOR PROGRESO, WEEK ENDED JUNE 14, 1903.

Population, about 5,000. Whooping cough, 2; broncho-pneumonia, 2; tuberculosis, 1; pneumonia, 1; total, 6.

Merida—June 6 to 12, inclusive: Tubercular enteritis, 1; pernicious ænemia, 1; enteritis, 5; dysentery, 2; alcoholic (cirrhosis), 1; alcoholism, 2; athrepsia, 1; tuberculosis, 3; traumatism-meningitis, 4; drowning, 1; gastro-enteritis, 2; gastro-enteritis (infectious), 1; croup, 1; tetanus, 2; cerebral fever, 1; pelagra, 2; typhoid fever, 1; icterica (infectious), 1; paludism (malaria), 1; stillbirth, 2; inanition, 2; total, 50.

For Merida, June 8: Yellow-fever deaths, 3; June 10, yellow-fever deaths, 1.

During the week ended June 20, 1903, bills of health were issued as follows:

Date.	Ship.	Nationality.	Destination.	Passengers.	Crew.	Sanitation.	Location.
June 14	Monterey.....	American .....	New York from Progreso. To Habana .....	24 28	93	Good .	Water.
14	Telefon.....	Norwegian .....	Transit .....	86			
17	Nan M. Dantzier ..	American .....	Mobile .....	3	21	...do ..	Wharf.
20	Santiago de Cuba ..	Cuban .....	Ship Island.....	0	6	...do ..	Do.
			New York .....	0	a 28	...do ..	Water.

a On Santiago 1 case, malaria.

MORTALITY.

Tubercular peritonitis, 1; malaria, 1; post-partum, 1; rheumatism, 1; gastro-enteritis, 1; congenital debility, 1; pulmonary tuberculosis, 1; total, 7.

*Mortality at Merida.*

Malaria, 2; chronic enteritis, 4; pneumonia, 2; intestinal fever, 3; cause unknown, 1; chloro-æmemia, 1; acute meningitis, 4; inanition, 1; cardiac (?), 1; ulcerous enteritis, 1; croup, 4; hepatitis, 1; dysentery, 1; tuberculosis, 1; stillborn, 3; bronchitis, 1; yellow fever, 1.

Popular report makes the cases of yellow fever from 50 to 100 or more.

*Reports from Tampico—Yellow fever increasing.*

Acting Assistant Surgeon Frick reports, June 19 and 22, as follows: Yellow-fever foci 2 and 3 have again formed, taking in additional territory. Focus No. 3 has developed several cases within the last few